

Hedinger presents:



A selected portfolio of polymers with many options!

- Architectural, decorative and masonry applications
- Industrial coatings for agricultural and construction machinery, commercial transport, automotive coatings, vehicle repair and protective coatings
- Adhesive raw materials
- Additives

Additives:

WD Eagle (SS4/40)40%	Dispersant, Sodium Salt of Polyacrylic Acid
WD Eagle (AS4/40)40%	Dispersant, Ammonium Salt of Polyacrylic Acid
EAGAGREEN FS-20	Formaldehyde Scavenger
EAGAWAX 265*	Wax dispersion for basecoats

Homopolymer Dispersions / Adhesives:

H-EAGLE(180/50)	DIN EN 204 D2
H-EAGLE(120/50)	DIN EN 204 D3

Co- and Ter-polymer Dispersions / Decorative & Masonry applications:

C-EAGLE(SA72/50) GREEN	Styrene Acrylic with exceptional scrub resistance
C-EAGLE(SA70/50) GREEN	Styrene Acrylic standard grade
C-EAGLE(SA65/50) GREEN	Highly flexible films
C-EAGLE(PA16/50) GREEN	Pure Acrylic for high quality applications
EAGACRYL 6050	Specially developed for Road marking
C-EAGLE(VVA23/50) GREEN	Allround Terpolymer

Waterborne industrial:

EAGACRYL 504*	Standard industrial Dispersion, good corrosion resistance
---------------	---

* Product/Samples on request

Solventborne Alkyds:

SNDA-EAGLE (SFAX28-6/60)70%	Short oil non-drying Alkyd, aerosols, pigment pastes
SDA-EAGLE (SFX27-25/60)60%	Short oil drying Alkyd, economic all-round grade

Solventborne Acrylics:

AC-EAGLE (OH66-20BA50)50%	OH Acrylic 2% OH, wood and plastic
AC-EAGLE (OH100-25BA70)70%	OH Acrylic 3% OH, metal, ACE, medium solids
AC-EAGLE (OH132-20X50)50%*	OH Acrylic 4.0% OH, ACE, structured coatings, 51%
AC-EAGLE (OH138-40BA65)65%*	OH Acrylic 4,2% OH, ACE, structured coatings, 65%, fast VR
AC-EAGLE (OH138-50BA70)70%*	OH Acrylic 4.2% OH, medium-high solids, metal, VR
AC-EAGLE (OH148-100BA70)70%*	OH Acrylic 4.2% OH, clear coats and solid color systems for car repair, plastic
AC-EAGLE (OH90-30X60)60%*	OH Acrylic 2.7% OH, metal
AC-EAGLE (OH33-45XBA50)50%*	OH Acrylic 1.0% OH, extremely fast-drying

Solventborne saturated Polyesters:

SP-EAGLE(TS-6M60)	Standard basecoat resin
-------------------	-------------------------

Unsaturated Polyesters:


BF 40-68*	Flexible, Bodyfiller
BF 36-62*	Rigid Bodyfiller


Let's talk about the various application possibilities!

Aug. Hedinger GmbH & Co. KG

Heiligenwiesen 26

D-70327 Stuttgart

 +49 – 711 – 40 20 50

 +49 – 711 – 40 20 535

info@hedinger.de

www.hedinger.de

Branch Saxony-Anhalt

Lange Lauchstädter Straße 47

D-06179 Teutschenthal